I claim:

- 1. A combination tool holder and work station comprising:
 - a body, said body defining a plurality of chambers therein, said chambers configured to

receive and hold a selected number of tools therein;

a lid configured to connect with said body so as to hold said tools within said chambers;

and

at least one pounding surface connected to said body.

- 2. The combination tool holder of claim 1 further comprising a second pounding surface.
- 3. The combination tool holder of claim 1 wherein said body is comprised of a durable plastic material.
- 4. The combination tool holder of claim 1 wherein said lid is connected to said body through a hinge.
- 5. The combination tool holder of claim 1 wherein said body is comprised of a durable transparent material.

- 6. The combination tool holder of claim 1 wherein said chambers are configured to eyelet setting tools therein.
- 7. The combination tool holder of claim 1 wherein said lid is configured to fit within a portion of said body.
- 8. The combination tool holder of claim 1 wherein said pounding surface is made of a durable rubber material.
- 9. The combination tool holder of claim 1 further comprising a second pounding surface.
- 10. The combination tool holder of claim 9 wherein said second pounding surface is made of a material different than said first pounding surface.

11. A combination tool holder and work station comprising:

a body, said have at least two pairs of opposing sides a top and a bottom, body defining a plurality of chambers therein, said chambers configured to receive and hold a selected tool of a designated size therein;

a lid connected to said body through a hinge, said lid configured to hold said tools within said chambers; and

at least one pounding surface connected to said body.

- 12. The combination tool holder of claim 11 further comprising a second pounding surface.
- 13. The combination tool holder of claim 11 wherein said body is comprised of a durable plastic material.
- 14. The combination tool holder of claim 11 wherein said lid is connected to said body through a hinge.
- 15. The combination tool holder of claim 11 wherein said body is comprised of a durable transparent material.

- 16. The combination tool holder of claim 11 wherein said chambers are configured to eyelet setting tools therein.
- 17. The combination tool holder of claim 11 wherein said lid is configured to fit within a portion of said body.
- 18. The combination tool holder of claim 11 wherein said pounding surface is made of a durable rubber material.
- 19. The combination tool holder of claim 11 further comprising a second pounding surface.
- 20. The combination tool holder of claim 19 wherein said second pounding surface is made of a material different than said first pounding surface.